

WOOD FIREPLACE

COLLECTION



Valecourt



Information in this brochure is for reference only. Some changes may have been made to the products or technical data after the publication of this brochure. Valcourt reserves the right to modify its products without any obligation on its part.



FOR AMBIANCE 6

FP1LM – MANOIR 8

FP7D – ANTOINETTE 10

FP11D – FRONTENAC 12

FP16D – ST-LAURENT 14

FOR PERFORMANCE 18

FP10R – LAFAYETTE II 20

FP10RS – LAFAYETTE II – SQUARE 22

FP12R – MUNDO II 24

FP15 – WATERLOO 26

FP15A – WATERLOO – ARCHED 28

FP18R – DALLAIRE II 30

FP19 – ST-LOUIS 32

TECHNICAL DATA 34

HEATING CALCULATOR 46

**MANUFACTURERS, BRANDS AND TYPES
OF APPROVED CHIMNEYS** 48

HEAT DISTRIBUTION SYSTEMS 50

ACCESSORIES 52

WARRANTY 54



OUR STORY

A tradition of excellence, for more than 60 years.

It all started in 1958, when brothers Auguste and Lucien Valcourt founded the company Valcourt et Frère Enr. Very talented, they first stood out in the manufacture of stairs and wrought iron balconies that adorned the most beautiful homes of Quebec. Guided by his creativity, Auguste began in 1975 the manufacture of custom fireplace doors and slowly relinquished stairs and balconies. Once again, the quality of the products offered allowed the company to stand out in this new adventure.

It was in 1992 that Valcourt discovered its true vocation and manufactured its first wood fireplace: the Manoir. Just as popular with consumers as with industry experts, this model has been replicated by multiple manufacturers without ever being matched. A few years later, Valcourt innovated again with its legendary guillotine fireplace, called Antoinette. Very first guillotine fireplace on the market, this model is the pioneer of this type and was a major success. Over the years, the fireplace industry has undergone many changes in environmental standards that have imposed increasingly severe restrictions. Living up to its previous successes, Valcourt has brilliantly met these new challenges and launched in 2015 the largest fireplace on the market that meets the EPA requirements.


Guided by endless creativity and the desire to offer the best to its customers, Valcourt continues this tradition of excellence and presents in 2020 a whole new range of gas fireplaces.

Valcourt, The Fireplace of Your Dreams.

A person wearing a yellow and black patterned poncho stands on a wooden railing, looking out over a vast, snowy mountain landscape. The scene is misty and wintry, with snow-covered evergreen trees in the foreground and a calm body of water in the distance. The overall atmosphere is serene and cozy.

Decorative fireplaces

for ambiance



The main purpose of these fireplaces is the ambiance and comfort of a wood fire, with doors opened or closed. If needed, they are also an alternate source of heat.

MANOIR

FPILM

The Manoir is the updated version of Valcourt's very first fireplace. The steel framed double doors and ceramic glass are second to none; they slide effortlessly and without special tools into each side of the fireplace, allowing for an exceptional view of the crackling flames.

This fireplace will allow you to be creative when designing your decor thanks to its faceplate options available in different finishes. In addition, you will benefit from the maximum heat of the Manoir thanks to its included fan and the heat distribution options (forced air or gravity).

This model is **EPA QUALIFIED**
Under the LOW MASS
Wood-Burning Fireplace Program **PHASE 2** EMISSION LEVEL

Faceplate –
modern




VAIFE05

Faceplate –
traditional



VAIFE06

Hot air gravity kit –
traditional



AC01375

Hot air gravity kit –
modern



AC01376



— ANTOINETTE

FP7D

The Antoinette wood fireplace redefines comfort and style with its modern and streamlined design. Featuring clean lines and a spacious glass surface, it provides a stunning view of the flames, adding warmth to your relaxation moments. Its versatile design seamlessly adapts to any interior configuration, creating a welcoming and sophisticated ambiance.

The standout feature of this wood fireplace is its ingenious guillotine-style door and spark guard system. Crafted with exceptional attention to detail and premium materials, this mechanism allows for smooth and effortless operation. The door and firescreen, equipped with a removable handle, discreetly slide under the hearth, providing easy and secure access to fuel the fire.

While primarily designed for ambiance, the Antoinette effectively reduces particle emissions, meeting Phase II EPA voluntary program standards. It is 70% cleaner than uncertified traditional decorative fireplaces, offering a cozy atmosphere without compromising air quality.

This model is
EPA QUALIFIED
Under the LOW MASS
Wood-Burning Fireplace Program

PHASE 2
EMISSION
LEVEL

Masonry trim



VA7DTR

Narrow overlap



VA7FE06

Moulded refractory
brick panels –
contemporary

VA707IM

Moulded refractory
brick panels –
classic

VA707IBR



— FRONTENAC

FP11D

The Frontenac wood fireplace combines elegance and modernity, creating a warm and refined ambiance. Its minimalist and sleek faceplate adds a sophisticated touch to any interior, enhancing the space with contemporary aesthetics. It stands out with its imposing size and large 972 in² glass surface, offering a captivating view of dancing flames.

The highlight of this wood fireplace is its ingenious guillotine-style door and firescreen system. Designed with exceptional attention to detail and superior materials, this mechanism allows for smooth and effortless operation. The door and firescreen, equipped with a removable handle, discreetly slide under the hearth, providing easy and secure access to the fire.

While primarily designed for ambiance, the Frontenac effectively reduces particle emissions, qualifying for Phase II of the EPA’s voluntary program. It is 70% cleaner than uncertified decorative fireplaces, offering a cozy atmosphere without compromising air quality.

This model is
EPA QUALIFIED
Under the LOW MASS
Wood-Burning Fireplace Program
PHASE 2
EMISSION
LEVEL

Moulded vermiculite
panels –
Herringbone



VA11071H

Moulded brick
panels –
contemporary




VA11071M

Moulded brick
panels –
classic




VA11071BR

Masonry trim –
arched



VA11DTA

Masonry trim –
straight



VA11DTR

Narrow overlap –
arched



VA11FA06

Narrow overlap –
straight



VA11FE06



Decorative fireplaces

— ST-LAURENT

FP16D

The Saint-Laurent wood fireplace stands out with its linear design and wide panoramic glass surface, offering an exceptional view of the flames. Designed to maximize the visual experience, the elongated rectangular shape of the Saint-Laurent adds a modern and elegant touch to any interior.

The highlight of this wood fireplace is its ingenious guillotine-style door and firescreen system. Designed with exceptional attention to detail and superior materials, this mechanism allows for smooth and effortless operation. The door and firescreen, equipped with a removable handle, discreetly slide under the hearth, providing easy and secure access to the fire.

While primarily designed for ambiance, the Saint-Laurent effectively reduces particle emissions, qualifying for Phase II of the EPA's voluntary program. It is 70% cleaner than uncertified decorative fireplaces, offering a cozy atmosphere without compromising air quality.

This appliance is
**EPA
exempt**

Masonry trim



VA16DTR

Narrow overlap



VA16FE06

Moulded brick
panels –
contemporary

VA1607IM



Decorative fireplaces




PROUDLY CANADIAN.

Proudly established in Canada since 1991, Valcourt is a local business for which fireplaces are a true vocation.


Choosing a Valcourt fireplace means prioritizing the quality of the finish and materials, the manufacturing robustness and the durability stemming from undeniable know-how. As a Valcourt customer, you will benefit from local after-sales support that meets your expectations, provided by a network of expert retailers, in collaboration with our experienced team.

As a Canadian manufacturer, it is also important for us to use quality raw materials by sourcing from local partners. More than 90% of our raw materials come from North America, most notably steel.

A photograph of a winter forest scene. The ground is covered in a thick layer of snow. Several evergreen trees, likely spruce or fir, are scattered throughout the scene, their branches heavily laden with snow. In the background, a wooden fence or barrier is visible, and a person wearing a dark jacket and a hat is walking away from the camera towards the right side of the frame. The overall atmosphere is quiet and serene.

High-efficiency wood fireplaces

for performance



The main purpose of these fireplaces is eco-friendly heating with emissions below the limits imposed by EPA and the benefits of an efficient overnight burn. If needed, they can be used for ambiance with the doors open.

— LAFAYETTE II

FP10R

Like the great French general, the Valcourt team has been able to use its tactical skills to upgrade this non-catalytic unit, so that it perfectly combines the new heating technology with all its elegance.

Customize your fireplace: five faceplate louvers as well as black or brushed nickel door overlays are available to enhance your decor. In addition to offering a distinctive look, the appliance follows the most restrictive EPA regulations, making it the fireplace of choice for those who want to use wood as a renewable and clean source of heat.



Door overlay – black



VA10RE07

Door overlay – brushed nickel



VA10RE40

Black arched faceplate



VA10FA07

Faceplate louver – crown



VA10L10

Faceplate louver – classic



VA10L06

Faceplate louver – arabesque



VA10L07

Faceplate louver – urban



VA10L08

Faceplate louver – mission



VA10L09



LAFAYETTE II SQUARE

Like the great French general, the Valcourt team has been able to use its tactical skills to upgrade this non-catalytic unit, so that it perfectly combines the new heating technology with all its elegance.

FP10RS

Customize your fireplace: five faceplate louvers as well as black or brushed nickel door overlays are available to enhance your decor. In addition to offering a distinctive look, the appliance follows the most restrictive EPA regulations, making it the fireplace of choice for those who want to use wood as a renewable and clean source of heat.

EPA

Door overlay –
black



VA10RES07

Door overlay –
brushed nickel



VA10RES40

Black square
faceplate



VA10FS07

Faceplate louver –
crown



VA10LS10

Faceplate louver –
classic



VA10LS06

Faceplate louver –
arabesque



VA10LS07

Faceplate louver –
urban



VA10LS08

Faceplate louver –
mission



VA10LS09



High-efficiency fireplaces

MUNDO II

FP12R



With its sleek lines and refined look, the Mundo II completely redefines the true nature of wood heating. Its modern design perfectly combines functionality, comfort and safety. Environmentally-friendly, this non-catalytic fireplace is EPA certified with an incredibly low particle emissions rate.

The hot air gravity kit available with the Mundo II will allow you to harness all the power from this incredible fireplace while respecting the contemporary lines of your decor. The most serious user can also install a forced air kit which will allow for better and more efficient heat transfers to rooms located further from the fireplace.



AC02773

Hot air gravity kit –
traditional



AC01375K

Hot air gravity kit –
modern



AC01389K



WATERLOO

FP15

The largest model in our high-efficiency series, the Waterloo wood-burning fireplace is an additional heating source whose style is just as remarkable as its performance. Adorned with a crown-style faceplate, the Waterloo offers an impressive view of the flames. Behind its large glass doors, the firebox can hold a very large amount of wood to heat large spaces and burn for up to 11 hours on a single load.

The Waterloo's smart air control system (patented) has been specifically designed to optimize combustion efficiency. Once the appliance is on and running, the combustion rate must be slowed down by manually closing the primary air damper. Then, when the system detects that the optimum combustion temperature has been reached, it automatically closes the second primary air damper and adjusts the secondary air control. Once the system is closed, it is possible to modulate the level of combustion by adjusting the auxiliary air control.



Available with
ROBAX® NightFlame glass



AC02771

Moulded brick
panels – classic



AC02360

Faceplate –
crown



VA15FL07



High-efficiency fireplaces

WATERLOO ARCHED

The largest model in our high-efficiency series, the Waterloo wood-burning fireplace is an additional heating source whose style is just as remarkable as its performance. Adorned with a faceplate that suits your style, the Waterloo offers an impressive view of the flames. Behind its large glass doors, the firebox can hold a very large amount of wood to heat large spaces and burn for up to 11 hours on a single load.

The Waterloo's smart air control system (patented) has been specifically designed to optimize combustion efficiency. Once the appliance is on and running, the combustion rate must be slowed down by manually closing the primary air damper. Then, when the system detects that the optimum combustion temperature has been reached, it automatically closes the second primary air damper and adjusts the secondary air control. Once the system is closed, it is possible to modulate the level of combustion by adjusting the auxiliary air control.

FP15A



EPA

Façade arquée
noire



VA15FA07

Moulded brick panels –
classic




AC02360

Available with
ROBAX® NightFlame glass



AC02772

Faceplate louver –
classic



VA15L06

Faceplate louver –
arabesque




VA15L07

Faceplate louver –
urban



VA15L08

Faceplate louver –
mission



VA15L09



DALLAIRE II

FP18R

The Dallaire II wood fireplace captures the essence of comfort and refinement. Every detail has been thoughtfully designed to provide an unmatched experience, where ease of use and quality craftsmanship enhance the pleasure of fully enjoying the fire.

Unique on the market, the Dallaire II wood fireplace stands out with its retractable cast iron doors, which slide discreetly to both sides of the combustion chamber. This refined design frees up space in front of the unit, offering an unobstructed view of the flames.

Versatile and designed to meet your needs, the Dallaire II efficiently heats spaces up to 2,500 square feet while creating a cozy and warm ambiance. With its doors closed, it ensures efficient, long-lasting combustion. With the doors open, paired with the optional firescreen (AC01226), it provides the authentic charm of a wood fire, safely. A perfect complement to Valcourt's high-efficiency fireplace lineup, the Dallaire II offers five louvre styles to personalize the faceplate of your appliance.




Black square faceplate



VA18FL07

Faceplate louvre – crown




VA18L10

Available with ROBAX® NightFlame glass




AC02774

Faceplate louvre – classic



VA18L06

Faceplate louvre – arabesque




VA18L07

Faceplate louvre – urban



VA18L08

Faceplate louvre – mission



VA18L09



High-efficiency fireplaces

ST-LOUIS

The St-Louis fireplace embodies a fire experience that is both spectacular and simplified. Designed for those who appreciate warmth and refinement, it combines the enveloping charm of an ambiance fireplace with the performance of a high-efficiency heating appliance. Thanks to its intelligent technology and intuitive use, the St-Louis offers the magic of fire in its purest form, effortlessly. Enjoy exceptional comfort, a stunning flame, and absolute control.

From the very first glance, the St-Louis captivates with its large glass surface revealing a generous flame. This panoramic opening brings a warm and welcoming atmosphere to your space, perfect for moments of relaxation. Inside, NexFlame combustion technology orchestrates the fire with precision, maintaining steady, clean heat without complex adjustments. The appliance regulates itself, offering effortless control and true peace of mind. Control your fireplace according to your needs with a simple and intuitive web application, designed to integrate naturally into your lifestyle. Monitor performance and stay in control, even remotely, for an experience perfectly suited to your daily routine.

The St-Louis fireplace asserts itself with confidence in large spaces, providing lasting comfort even in the harshest cold. Thanks to highly efficient combustion, it delivers steady, clean, and perfectly controlled heat. Nothing compares to the comfort of a real wood fire—a warmth you feel, hear, and live fully, day after day.

FP19



EPA

Tall faceplate (84 1/4")
with integrated gravity
air distribution kit




VA19FL06



High-efficiency fireplaces



Technical Data



All the information you need to make an informed choice on the appliance that suits your needs. Discover the performance and general specifications of Valcourt fireplaces.

<div>DATA</div> <div>DECORATIVE FIREPLACES</div>	<div>FP1LM</div>	
	COLOR	Black
	COMBUSTION TECHNOLOGY	Non catalytic
	FIREBOX VOLUME (EXCLUDING GRATE OR ANDIRONS)	4.25 ft³
	DOOR TYPE	Double retractable, with steel frame
	GLASS TYPE	Ceramic glass
	MAXIMUM LOG LENGHT	20"
	LOG POSITIONING	East / West
	MINIMUM CHIMNEY HEIGHT (FROM THE BASE OF THE FIREPLACE)	15'
	FRESH AIR INTAKE ADAPTER (DIAMETER)	Yes (4")
	TEST STANDARD – SAFETY	ULC-S610 / UL127
	TEST STANDARD – EMISSIONS	ASTM 2515 / ASTM 2558
	EPA VOLUNTARY PROGRAM – EMISSIONS (ASTM 2515 / ASTM 2558)	2.9 g/kg
	CLEARANCES TO COMBUSTIBLE MATERIALS	
	COMBUSTIBLE SHELF (FROM THE BASE OF THE FIREPLACE)	48"
	SIDE MANTLE ⁽¹⁾	8"
	SIDE WALL ⁽²⁾	24"
	WEIGHT	236 kg (520lb)
	WARRANTY	Lifetime limited
	REQUIRED ACCESSORIES	<div> <div>1</div> <div>Faceplate – Traditional Modern</div> </div>
		<div>2</div>
		<div>3</div>
OPTIONS		<div>Hot air gravity kit - Traditional Modern</div> <div>Forced air kit</div>

FP7D

Black
Non catalytic
5.3 ft³
Guillotine, with steel frame
Ceramic glass
18"
East / West
15'
Yes (4")
ULC-S610 / UL127
ASTM 2515 / ASTM 2558
4.2 g/kg

FP11D

Black
Non catalytic
9.4 ft³
Guillotine, with steel frame
Ceramic glass
30"
East / West
18'
Yes (4")
ULC-S610 / UL127
ASTM 2515 / ASTM 2558
4.2 g/kg

FP16D

Black
Non catalytic
6.4 ft³
Guillotine, with steel frame
Ceramic glass
30"
East / West
15'
Yes (4")
ULC-S610 / UL127
EPA Exempt
N/A

46"

0"

20"

238 kg (523 lb)

Lifetime limited

Faceplate –
Black narrow overlap

Masonry trim

Moulded brick panels –
Contemporary
Classic

52"

8"

20"

417 kg (920 lb)*

Lifetime limited

Faceplate –
Straight narrow overlap
Arched narrow overlap

Masonry trim
Straight
Arched

Moulded brick panels –
Contemporary
Classic

Moulded vermiculite panels –
Herringbone

48"

8 1/2"

24"

347 kg (765 lb)

Lifetime limited

Faceplate –
Black narrow overlap

Masonry trim

Moulded brick panels –
Contemporary

⁽¹⁾ Subject to a maximum protrusion - see owner's manual.

⁽²⁾ From door opening.

*Without refractory bricks.

Technical data contained in this catalogue are for reference only. Any installation must be done according to the data and drawings detailed in the owner's manual.


	FP10R	FP10RS	FP12R
COLOR	Black	Black	Black
COMBUSTION TECHNOLOGY	Non catalytic	Non catalytic	Non catalytic
MAXIMUM RECOMMENDED AREA	750 – 2,200 ft²	750 – 2,200 ft²	750 – 2,200 ft²
OVERALL HEAT OUTPUT RATE (MIN. TO MAX.)	12,700 to 60,700 BTU/h	12,700 to 60,700 BTU/h	12,700 to 60,700 BTU/h
MAXIMUM HEAT OUTPUT (DRY CORDWOOD)	80,000 BTU/h	80,000 BTU/h	80,000 BTU/h
MAXIMUM BURN TIME ⁽¹⁾	8 hours	8 hours	8 hours
AVERAGE PARTICULATE EMISSIONS RATE	1.2 g/h	1.2 g/h	1.2 g/h
OPTIMUM EFFICIENCY	70%	70%	70%
FIREBOX VOLUME (EXCLUDING GRATE OR ANDIRONS)	2,5 ft³	2,5 ft³	2,5 ft³
DOOR TYPE	Single, with steel frame	Single, with steel frame	Single, with steel frame
GLASS TYPE	Ceramic glass	Ceramic glass	Ceramic glass
MAXIMUM LOG LENGHT	20"	20"	20"
RECOMMENDED LOG LENGTH	16"	16"	16"
LOG POSITIONING	East / West	East / West	East / West
MINIMUM CHIMNEY HEIGHT (FROM FLOOR)	15'	15'	15'
FRESH AIR INTAKE ADAPTER (DIAMETER)	Yes (4")	Yes (4")	Yes (4")
TEST STANDARD – SAFETY	ULC-S610 / UL127	ULC-S610 / UL127	ULC-S610 / UL127
TEST STANDARD – EMISSIONS	EPA	EPA	EPA
CLEARANCES TO COMBUSTIBLE MATERIALS			
COMBUSTIBLE SHELF (FROM THE BASE OF THE FIREPLACE)	58"	58"	48"
SIDE MANTLE ⁽²⁾	8"	8"	8"
SIDE WALL ⁽³⁾	13"	13"	13"
WEIGHT	225 kg (495 lb)	225 kg (495 lb)	194 kg (427 lb)
WARRANTY	Lifetime limited	Lifetime limited	Lifetime limited
REQUIRED ACCESSORIES	Black arched faceplate Faceplate louver – Crown ① Classic Arabesque Urban Mission Door overlay – ② Black Brushed nickel ③ ④	Black square faceplate Faceplate louver – Crown Classic Arabesque Urban Mission Door overlay – Black Brushed nickel	Hot air gravity kit - Traditional Modern
OPTIONS	Firescreen door Hot air gravity kit – Traditional Modern Forced air kit	Firescreen door Hot air gravity kit – Traditional Modern Forced air kit	Firescreen door Forced air kit Finishing trim ROBAX® NightFlame glass

FP15	FP15A	FP18R	FP19
Black	Black	Black	Black
Non catalytic	Non catalytic	Non catalytic	Non catalytic
1,000 – 2,800 ft²	1,000 – 2,800 ft²	750 – 2,500 ft²	1,000 - 2,400 ft²
16,900 to 43,000 BTU/h	16,900 to 43,000 BTU/h	25,900 to 78,200 BTU/h	29,457 to 93,725 BTU/h
95,000 BTU/h	95,000 BTU/h	85,000 BTU/h	100,000 BTU/h
11 hours	11 hours	8 hours	7 hours
1.6 g/h	1.6 g/h	1.9 g/h	1.9 g/h
70%	70%	71.6%	78%
4,28 ft³	4,28 ft³	3,15 ft³	3,0 ft³
Double, with cast iron frame	Double, with cast iron frame	Double, with cast iron frame	Single, glass with steel frame
Ceramic glass	Ceramic glass	Ceramic glass	Ceramic glass
25"	25"	20"	18"
16"	16"	16"	16"
East / West	East / West	East / West	East / West
15'	15'	15'	15'
Yes (5")	Yes (5")	Yes (4")	Yes (5")
ULC-S610 / UL127	ULC-S610 / UL127	ULC-S610 / UL127	ULC-S610 / UL127
EPA	EPA	EPA	EPA
N/A	N/A	N/A	N/A
8"	8"	8"	15 1/2"
24"	24"	21"	15 1/2"
247 kg (545 lb)	247 kg (545 lb)	240 kg (530 lb)	306 kg (675 lb)
Lifetime limited	Lifetime limited	Lifetime limited	Lifetime limited
Faceplate – Crown	Faceplate arched black Faceplate louver – Classic Arabesque Urban Mission	Black square faceplate Faceplate louver – Crown Classic Arabesque Urban Mission	Tall faceplate (84 1/4") with integrated gravity air distribution kit
Moulded brick panels – Classic	Moulded brick panels – Classic		
Forced air kit Warm air circulation grille – Modern ROBAX® NightFlame glass	Forced air kit Warm air circulation grille – Modern ROBAX® NightFlame glass	Firescreen door Hot air gravity kit – Traditional Forced air kit ROBAX® NightFlame glass	Forced air kit


⁽¹⁾ Approximate burn time and maximum recommended area may vary subject to location in home, chimney draft, chimney diameter, locality, heat loss factors, climate, fuels and other variables.

⁽²⁾ Subject to a maximum protrusion – see owner’s manual ⁽³⁾ From door opening.


Technical data contained in this catalogue are for reference only. Any installation must be done according to the data and drawings detailed in the owner’s manual.




FP11D – FRONTENAC




FP16D – ST-LAURENT






FP12R – MUNDO II




FP18R – DALLAIRE II




FP15 – WATERLOO


44



FP15A – WATERLOO – ARCHED




FP19 – ST-LOUIS



— HEATING CALCULATOR

Recommended heating area
in square feet by climate zone.



	ZONE 1-2	ZONE 3	ZONE 4	ZONE 5	ZONE 6	ZONE 7-8
FP10R – Lafayette II	3,000	2,800	2,600	2,400	2,200	1,800
FP10RS – Lafayette II – square	3,000	2,800	2,600	2,400	2,200	1,800
FP12R – Mundo II	3,000	2,800	2,600	2,400	2,200	1,800
FP15 – Waterloo	3,600	3,400	3,200	3,000	2,800	2,400
FP15 – Waterloo	3,600	3,400	3,200	3,000	2,800	2,400
FP15A Waterloo – arched	3,600	3,400	3,200	3,000	2,800	2,400
FP18R – Dallaire II	3,300	3,100	2,900	2,700	2,500	2,100
FP19 – St-Louis	3,300	3,100	2,900	2,700	2,500	2,100

MANUFACTURERS, BRANDS AND
TYPES OF APPROVED CHIMNEYS


MANUFACTURERS*	BRANDS	TYPE	FP1LM	FP7D	FP11D
Olympia Chimney / SBI Venting Division	Ventis	1" Solid Pack	●	●	●
SBI Venting Division	Nexvent	1" Solid Pack	●	●	●
Olympia Chimney	Champion Chimney System	1" Solid Pack	●	●	●
Olympia Chimney	Rockford Chimney Systems	1" Solid Pack			
American Metal	HSS	AC Triple Wall	●	●	●
American Metal	HS	AC Triple Wall	●	●	●
ICC	Excel 2100	1" Solid Pack	●	●	●
DuraVent	DuraTech	1" Solid Pack	●	●	●
DuraVent	DuraTech Canada (DTC)	1" Solid Pack	●	●	●
DuraVent	DuraPlus HTC	2" Solid Pack	●	●	●
DuraVent	DuraPlus	AC Triple Wall	●	●	●
DuraVent	DuraTech Premium	2" Solid Pack	●	●	●
Metal Fab	Temp Guard	1" Solid Pack	●	●	●
Security Chimney	ASHT+	1" Solid Pack	●	●	●
Security Chimney	S-2100+	2" Solid Pack	●	●	●
Selkirk	Ultra-Temp (UT)	1" Solid Pack		●	●
Selkirk	Super Pro (SPR)	1" Solid Pack		●	●
Selkirk	Super Vent (JSC)	1" Solid Pack		●	●
Selkirk	Hart & Cooley (TLC)	1" Solid Pack		●	●
Selkirk	Sure-Temp (ST)	1" Solid Pack		●	●
Selkirk	Super Vent 2100 (JM)	2" Solid Pack	●	●	●
Selkirk	CF Sentinel (CF)	2" Solid Pack	●	●	●
Selkirk	Super Pro 2100 (ALT)	2" Solid Pack	●	●	●

Technical data contained in this brochure is for reference only. Any installation must be done according to the data and drawings detailed in the owner's manual.

HEAT DISTRIBUTION SYSTEMS


Forced air kit

This system allows you to manage the heat distribution automatically. Using a wall thermostat, you can select the temperature you want to maintain in the room where the fireplace is located. Once the thermostat has reached the desired temperature, the excess heat is redirected to another room up to 50 feet (15 m) away from the fireplace using a 300 CFM blower. That way, you can enjoy a nice fire in your living room without the discomfort of excess heat generated by your Valcourt fireplace.



The system can also be used to supplement heat in a room remote from the fireplace. For this type of application, the thermostat needs to be positioned in the desired room and programmed with the temperature to be maintained. The system, now in "heat mode", will activate the blower as long as the temperature in the remote room is not achieved and that the fireplace has enough heat to distribute.

Valcourt also offers another way to distribute excess heat in your home, using a hot air gravity kit.



Hot air gravity kit

The Hot air gravity kit allows you to bring hot air into the same room as the fireplace, in adjacent rooms, or upstairs at a maximum distance of 10' (3 m). The minimum height of the hot air duct must be 68" (1.7 m) measured from the base of the fireplace to the top of the hot air register.

Suggested installation: A) Wall thermostat B) 300 CFM blower C) Hot air flexible pipe D) Hot air rigid pipe E) Air register. The information contained in this page is for information purposes only. For more details about the installation requirements of the kits and their content, or for more installation options or more details on the **forced air distribution kit** or the **hot air gravity distribution kit**, please refer to the owner's manuals.

— ACCESSORIES

DUPLEX FIREPLACE TOOL SET



AC02620

INEO FIREPLACE TOOL SET



AC02621

FUSIO LOG HOLDER



AC02627

STOWOOD WOOD STORAGE




AC02351

AC02353*

Hight: 16"
Width: 48"
Depth: 18"

*Optional drawer, with poker
and shovel

PROTECTION DE PLANCHER



AC02760 50" x 18"

AC02761 70" x 20"

Thickness: 10mm

ROBAX® NightFlame
Fascinating.
Even without fire.

SCHOTT
ROBAX®


A fireplace is not just an elegant design element for our home. Its enveloping warmth stimulates our senses and creates a sense of well-being. Hearts race to the sound of a crackling fire. But this romantic magic can fade when only ashes and soot remain visible once the fire is out.

With ROBAX® NightFlame ceramic glass panels, enjoy perfect aesthetics and a warm ambiance in any circumstance. Thanks to innovative technology, the glass transforms when the fire goes out, maintaining the elegance of your interior. The semi-transparent glass allows you to enjoy a blazing fire with nearly intact flame intensity and colors. Once the fire is out, the panel preserves the fireplace's aesthetics by reducing the visibility of residues and ashes in the combustion chamber.

Valcourt offers ROBAX® NightFlame ceramic glass panels from SCHOTT as an option on the Mundo II, Waterloo, Waterloo – Arched Faceplate, and Dallaire II wood fireplaces.



When fire is on,
ROBAX® NightFlame ensures a familiar and yet incomparable fire experience, in comparison to transparent ROBAX® fire-viewing panels.



When fire is off,
ROBAX® NightFlame reduces the view into the combustion chamber & discreetly hides combustion residues and dirt.

For more information, visit:
www.valcourtinc.com/en/robax-nightflame

WARRANTY

Valcourt does not compromise when it comes to excellence in manufacturing its products. This is guaranteed by a highly qualified workforce and state-of-the-art equipment. This tradition of excellence allows us to offer our customers peace of mind, through one of the best warranties in the industry.

LIMITED LIFETIME

Combustion chamber (welds only)

Ceramic glass

Castings (except andirons)

Plating

For more details, visit our website at
www.valcourtinc.com/en/warranty/



CONTACT US

Customer Service

Phone: 1 888 539-0864
possiblepurchase@sbi-international.com
Monday - Friday: 8 a.m. to 12 p.m. - 1 p.m. to 5 p.m. (EST)

Technical Support

Phone: 1 877 356-6663
tech@sbi-international.com
Monday - Friday: 8 a.m. to 12 p.m. - 1 p.m. to 5 p.m. (EST)

PUB066A



10-2025 Printed in Canada

WWW.VALCOURTINC.COM

